

WHAT IS CLAIMED IS:

1. A method for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the method comprising:

receiving a request from the at least one user identifying one of the plurality of computer resources;

from a set of previously stored records each of which identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, selecting one of the records of the set whose identification of one of the plurality of computer resources is related to the request's identification of one of the plurality of computer resources; and

using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource.

2. The method of claim 1, wherein the request identifies a specific user;

wherein the set of previously stored records is part of a database of records and each record of the database identifies one of the users, identifies one of the plurality of computer resources, and contains security information for allowing the user identified in the record to access the computer resource identified in the record; and

wherein the set of previously stored records is obtained by identifying the records in the database whose identified user corresponds to the user identified in the request.

3. The method of claim 2, wherein the request's identification of one of the plurality of computer resources comprises one or more values;

wherein, for each record of the database, the record's identification of one of the plurality of computer resources comprises one or more values; and

5 wherein the step of selecting one of the records of the set comprises:

for each record of the set, comparing the one or more values from the record with the one or more values from the request to determine the number of matches between the values from the record and the values from the request; and

wherein the selected record is the record whose values have the highest number of matches with the values from the request.

4. The method of claim 2, wherein the request's identification of one of the plurality of computer resources comprises one or more values;

wherein, for each record of the database, the record's identification of one of the plurality of computer resources comprises one or more values; and

wherein the step of selecting one of the records of the set comprises:

for each record of the set, comparing the one or more values from the record with the one or more values from the request to determine the number of consecutive matches between the values from the record and the values from the request; and

20 wherein the selected record is the record whose values have the highest number of consecutive matches with the values from the request.

5. The method of claim 1, wherein at least two records identify the same computer resource.

6. A method for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the method comprising:

receiving a request from the at least one user containing one or more values which identify one of the plurality of computer resources;

from a set of previously stored records each of which contains one or more values that identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, selecting one of the records of the set by comparing, for each record of the set, the one or more values from the record with the one or more values from the request to determine the number of matching values and choosing the record having the highest number of matching values; and

using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource.

7. A method for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the method comprising:

receiving a request from the at least one user containing one or more values which identify one of the plurality of computer resources;

from a set of previously stored records each of which contains one or more values that identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, selecting one of the records of the set by comparing, for each record of the set, the one or more values from the record with the one or more values from the request to determine the number of consecutive matching values and selecting the record having the highest number of consecutive matching values; and

using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource.

8. A system for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the system comprising:

a security interface in communication with the at least one user;

a resource interface in communication with each of the plurality of computer resources and capable of operating according the distinct protocol utilized by each computer resource; and

a set of previously stored records each of which identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record;

wherein upon receiving a request from the at least one user identifying one of the plurality of computer resources, the security interface selects one of the records of the set whose

identification of one of the plurality of computer resources is related to the request's
 identification of one of the plurality of computer resources and causes the resource interface to
 use the security information in the selected record to provide access to the computer resource
 identified in the request according to the distinct protocol utilized by that resource.

5

9. The system of claim 8, wherein the resource interface comprises a separate
 interface module corresponding to each computer resource.

10. The system of claim 8, wherein the set of records is stored in the security
 interface.

11. The system of claim 8, wherein the set of records is stored in a separate database.

12. The system of claim 8, wherein at least two records identify the same computer
 resource.

13. A system for providing at least one user with access to a plurality of computer
 resources, at least some of which utilize distinct protocols for receiving security information and
 for providing access to outside systems based on received security information, the system
 comprising:

means for receiving a request from the at least one user identifying one of the plurality of
 computer resources;

03/04/2014 10:44:13
 T4904E800

means for selecting, from a set of previously stored records each of which identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, one of the records of the set whose identification of one of the plurality of computer resources is related to the request's identification of one of the plurality of computer resources; and

means for using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource.

14. The system of claim 13, wherein each record's identification comprises one or more values;

wherein the request's identification comprises one or more values; and

wherein the means for selecting selects the record of the set whose identification is related to the request's identification by comparing, for each record of the set, the one or more values from the record with the one or more values from the request to determine the number of matching values and choosing the record having the highest number of matching values.

15. The system of claim 13, wherein each record's identification comprises one or more values;

wherein the request's identification comprises one or more values; and

wherein the means for selecting selects the record of the set whose identification is related to the request's identification by comparing, for each record of the set, the one or more values from the record with the one or more values from the request to determine the number of

consecutive matching values and choosing the record having the highest number of consecutive matching values.

16. A data structure for storing information to be utilized in providing a plurality of
5 users with access to a plurality of computer resources, the data structure comprising:

a location for storing an identification of one of the plurality of users;

a location for storing an identification of one of the plurality of computer resources; and

a location for storing security information for allowing the identified user to access the
identified computer resource.

17. The data structure of claim 16, wherein the identification of one of the plurality of
computer resources comprises one or more values, and

wherein the location for storing an identification of one of the plurality of computer
resources is divided into one or more fields each of which stores one of the values.

18. A computer program product comprising a computer usable medium having
computer readable code embodied therein, the computer readable code, when executed, causing a
computer to implement a method for providing at least one user with access to a plurality of
computer resources, at least some of which utilize distinct protocols for receiving security
20 information and for providing access to outside systems based on received security information,
the method comprising:

receiving a request from the at least one user identifying one of the plurality of computer
resources;

selecting, from a set of previously stored records each of which identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, one of the records of the set whose identification of one of the plurality of computer resources is related to the request's identification of one of the plurality of computer resources; and

using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource.

19. The computer program product of claim 18, wherein the request identifies a specific user;

wherein the set of previously stored records is part of a database of records and each record of the database identifies one of the users, identifies one of the plurality of computer resources, and contains security information for allowing the user identified in the record to access the computer resource identified in the record; and

wherein the set of previously stored records is obtained by identifying the records in the database whose identified user corresponds to the user identified in the request.

20. The computer program product of claim 19, wherein the request's identification of one of the plurality of computer resources comprises one or more values;

wherein, for each record of the database, the record's identification of one of the plurality of computer resources comprises one or more values; and

wherein the step of selecting one of the records of the set comprises:

for each record of the set, comparing the one or more values from the record with the one or more values from the request to determine the number of matches between the values from the record and the values from the request; and

5 wherein the selected record is the record whose values have the highest number of matches with the values from the request.

21. The computer program product of claim 19, wherein the request's identification of one of the plurality of computer resources comprises one or more values;

10 wherein, for each record of the database, the record's identification of one of the plurality of computer resources comprises one or more values; and

wherein the step of selecting one of the records of the set comprises:

15 for each record of the set, comparing the one or more values from the record with the one or more values from the request to determine the number of consecutive matches between the values from the record and the values from the request; and

wherein the selected record is the record whose values have the highest number of consecutive matches with the values from the request.

22. The computer program product of claim 18, wherein at least two records identify the same computer resource.